

## Wiring diagrams

### Domestic

Wall-mounted kits 1x1	→ 569
Floor console kits 1x1	→ 570
Low static pressure hide-away kits 1x1	→ 570
Free Multi System 2 rooms	→ 571
Free Multi System 3 rooms	→ 571
Free Multi System 4 rooms	→ 572
Free Multi System 5 rooms	→ 572

### Commercial

Wall-mounted Professional kits 1x1	→ 573
PACi NX wall-mounted kits 1x1	→ 573
PACi NX 4 way 60x60 cassette kits 1x1	→ 574
PACi NX 4 way 90x90 cassette kits 1x1	→ 574
PACi NX ceiling kits 1x1	→ 575
PACi NX adaptive ducted unit kits 1x1	→ 575
Big PACi high static pressure hide-away kits 1x1	→ 576
PACi 4 way 60x60 cassette kits 1x1	→ 576
PACi NX twin system	→ 577
PACi NX triple system	→ 577
PACi NX double-twin system	→ 578

### VRF Systems

Mini ECOi Series	→ 578
ECOi EX and ECO G Series	→ 579
Hybrid GHP/EHP	→ 579

## Wall-mounted kits 1x1

Indoor unit



Outdoor unit




Attention: Wall-mounted Etherea and TZ super-compact have different connection terminals



Single phase  
Power supply  
230 V / 50 Hz



Infrared remote controller (included in the delivery)



Optional wired remote controller

Power supply to indoor or outdoor depending on model, see table.

### Wall-mounted Heatcharge VZ - R32

Indoor unit	Power supply	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-VZ9SKE	230 V (indoor)	16 A	4 x 1,5 mm <sup>2</sup>	CU-VZ9SKE
CS-VZ12SKE	230 V (indoor)	16 A	4 x 1,5 mm <sup>2</sup>	CU-VZ12SKE

### Wall-mounted Etherea Graphite grey, Silver and Matt white - R32

Indoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor	Outdoor unit
CS-XZ20XKEW / CS-Z20XKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z20XKE
CS-XZ25XKEW / CS-Z25XKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z25XKE
CS-XZ35XKEW / CS-Z35XKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z35XKE
- / CS-Z42XKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z42XKE
CS-XZ50XKEW / CS-Z50XKEW	230 V (indoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-Z50XKE
- / CS-Z71XKEW	230 V (indoor)	20 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-Z71XKE

### Wall-mounted TZ super-compact - R32

Indoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor	Outdoor unit
CS-TZ20WKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-TZ20WKE
CS-TZ25WKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-TZ25WKE
CS-TZ35WKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-TZ35WKE
CS-TZ42WKEW	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-TZ42WKE
CS-TZ50WKEW	230 V (indoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-TZ50WKE
CS-TZ60WKEW	230 V (indoor)	20 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-TZ60WKE
CS-TZ71WKEW	230 V (indoor)	20 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-TZ71WKE

### Wall-mounted BZ super-compact - R32

Indoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor	Outdoor unit
CS-BZ25XKE	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-BZ25XKE
CS-BZ35XKE	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-BZ35XKE
CS-BZ50XKE	230 V (indoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-BZ50XKE
CS-BZ60XKE	230 V (indoor)	20 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-BZ60XKE

### Wall-mounted UZ super-compact - R32

Indoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor	Outdoor unit
CS-UZ25WKE	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-UZ25WKE
CS-UZ35WKE	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-UZ35WKE
CS-UZ50WKE	230 V (indoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-UZ50WKE

### Wall-mounted PZ super-compact - R32

Indoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor	Outdoor unit
CS-PZ25WKE	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-PZ25WKE
CS-PZ35WKE	230 V (indoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-PZ35WKE
CS-PZ50WKE	230 V (indoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-PZ50WKE

### Floor console kits 1x1

Indoor unit



Infrared remote controller (included in the delivery)



Outdoor unit



Single phase Power supply 230 V / 50 Hz

### Floor console - R32

Indoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor	Outdoor unit
CS-Z25UFEAW	230 V (outdoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z25UBEA
CS-Z35UFEAW	230 V (outdoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z35UBEA
CS-Z50UFEAW	230 V (outdoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 2,5 mm <sup>2</sup>	CU-Z50UBEA

### Low static pressure hide-away kits 1x1

Indoor unit



CZ-RD52CP  
Included wired remote controller



Outdoor unit




Single phase Power supply 230 V / 50 Hz

### Low Static Pressure Hide Away - R32

Indoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor	Outdoor unit
CS-Z25UD3EAW	230 V (outdoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z25UBEA
CS-Z35UD3EAW	230 V (outdoor)	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z35UBEA
CS-Z50UD3EAW	230 V (outdoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z50UBEA
CS-Z60UD3EAW	230 V (outdoor)	16 A	3 x 2,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>	CU-Z60UBEA

### Free Multi System 2 rooms

Indoor unit



Outdoor unit




Single phase  
Power supply  
230 V / 50 Hz / 16 A

### Free Multi System - R32

Outdoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor
CU-2Z35TBE	230 V	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>
CU-2Z41TBE	230 V	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>
CU-2Z50TBE	230 V	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>
CU-2TZ41TBE	230 V	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>
CU-2TZ50TBE	230 V	16 A	3 x 1,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>

### Free Multi System 3 rooms

Indoor unit



Outdoor unit




Single phase  
Power supply  
230 V / 50 Hz / 16 A

### Free Multi System - R32

Outdoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor
CU-3Z52TBE	230 V	16 A	3 x 2,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>
CU-3Z68TBE	230 V	16 A	3 x 2,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>
CU-3TZ52TBE	230 V	16 A	3 x 2,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>

### Free Multi System 4 rooms

Indoor unit



Outdoor unit




Single phase  
Power supply  
230 V / 50 Hz / 20 A

### Free Multi System - R32

Outdoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor
CU-4Z68TBE	230 V	20 A	3 x 2,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>
CU-4Z80TBE	230 V	20 A	3 x 2,5 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>

### Free Multi System 5 rooms

Indoor unit



Outdoor unit




Single phase  
Power supply  
230 V / 50 Hz / 25 A

### Free Multi System - R32

Outdoor unit	Power supply	Recommended fuse	Power supply cable	Connection indoor / outdoor
CU-5Z90TBE	230 V	25 A	3 x 4,0 mm <sup>2</sup>	4 x 1,5 mm <sup>2</sup>

### Wall-mounted Professional kits 1x1



Indoor unit



Outdoor unit



Single phase  
Power supply  
230 V / 50 Hz



When the accessory  
CZ-RCC5 is connected

### Wall-mounted Professional -25 °C · R32


Indoor unit	Power supply	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-Z25YKEA	230 V (indoor)	16 A	4 x 1,5 mm <sup>2</sup>	CU-Z25YKEA
CS-Z35YKEA	230 V (indoor)	16 A	4 x 1,5 mm <sup>2</sup>	CU-Z35YKEA
CS-Z42YKEA	230 V (indoor)	16 A	4 x 1,5 mm <sup>2</sup>	CU-Z42YKEA
CS-Z50YKEA	230 V (indoor)	16 A	4 x 2,5 mm <sup>2</sup>	CU-Z50YKEA
CS-Z71YKEA	230 V (indoor)	20 A	4 x 2,5 mm <sup>2</sup>	CU-Z71YKEA

### PACi NX wall-mounted kits 1x1


Indoor unit



Outdoor unit



Single phase  
Power supply  
230 V / 50 Hz / \*



Three phase  
Power supply  
3 x 400 V / 1 N ~ 50 Hz / \*\*

#### Single phase



Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker*
S-3650PK3E	4 x 1,5 mm <sup>2</sup>	U-36PZH3E5	220/230/240V	20 A
S-3650PK3E	4 x 1,5 mm <sup>2</sup>	U-50PZH3E5		20 A
S-6010PK3E	4 x 1,5 mm <sup>2</sup>	U-60PZH3E5		25 A
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E5		25 A
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E5		35 A
S-6010PK3E	4 x 1,5 mm <sup>2</sup>	U-36PZ3E5		16 A
S-6010PK3E	4 x 1,5 mm <sup>2</sup>	U-50PZ3E5		16 A
S-6010PK3E	4 x 1,5 mm <sup>2</sup>	U-60PZ3E5A		20 A
S-6010PK3E	4 x 1,5 mm <sup>2</sup>	U-71PZ3E5A		20 A
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E5		35 A

#### Three phase

Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker**
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E8	380/400/415V	16 A
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E8		16 A
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E8		16 A

### PACi NX 4 way 60x60 cassette kits 1x1

Indoor unit



Outdoor unit




#### Single phase


Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker
S-36PY3E	4 x 1,5 mm <sup>2</sup>	U-36PZH3E5	220 / 230 / 240 V	16 A
S-50PY3E	4 x 1,5 mm <sup>2</sup>	U-50PZH3E5		16 A
S-60PY3E	4 x 1,5 mm <sup>2</sup>	U-60PZH3E5		16 A
S-25PY3E	4 x 1,5 mm <sup>2</sup>	U-25PZ3E5		16 A
S-36PY3E	4 x 1,5 mm <sup>2</sup>	U-36PZ3E5		16 A
S-50PY3E	4 x 1,5 mm <sup>2</sup>	U-50PZ3E5		16 A
S-60PY3E	4 x 1,5 mm <sup>2</sup>	U-60PZ3E5A		16 A

### PACi NX 4 way 90x90 cassette kits 1x1

Indoor unit



Outdoor unit



#### Single phase



Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker*
S-3650PU3E	4 x 1,5 mm <sup>2</sup>	U-36PZH3E5	220 / 230 / 240 V	20 A
S-3650PU3E	4 x 1,5 mm <sup>2</sup>	U-50PZH3E5		20 A
S-6071PU3E	4 x 1,5 mm <sup>2</sup>	U-60PZH3E5		25 A
S-6071PU3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E5		25 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E5		35 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-125PZH3E5		40 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-140PZH3E5		40 A
S-3650PU3E	4 x 1,5 mm <sup>2</sup>	U-36PZ3E5		16 A
S-3650PU3E	4 x 1,5 mm <sup>2</sup>	U-50PZ3E5		16 A
S-6071PU3E	4 x 1,5 mm <sup>2</sup>	U-60PZ3E5A		20 A
S-6071PU3E	4 x 1,5 mm <sup>2</sup>	U-71PZ3E5A		20 A
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E5		35 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-125PZ3E5		40 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-140PZ3E5		40 A

#### Three phase

Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker**
S-6071PU3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E8	380 / 400 / 415 V	16 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E8		16 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-125PZH3E8		16 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-140PZH3E8		16 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E8		20 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-125PZ3E8		20 A
S-1014PU3E	4 x 2,5 mm <sup>2</sup>	U-140PZ3E8		20 A


### PACi NX ceiling kits 1x1

Indoor unit



Single phase  
Power supply  
230 V / 50 Hz / \*

Outdoor unit



Three phase  
Power supply  
3 x 400 V / 1 N - 50 Hz / \*\*

#### Single phase


Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker*
S-3650PT3E	4 x 1,5 mm <sup>2</sup>	U-36PZH3E5	220 / 230 / 240 V	20 A
S-3650PT3E	4 x 1,5 mm <sup>2</sup>	U-50PZH3E5		20 A
S-6071PT3E	4 x 1,5 mm <sup>2</sup>	U-60PZH3E5		25 A
S-6071PT3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E5		25 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E5		35 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-125PZH3E5		40 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-140PZH3E5		40 A
S-3650PT3E	4 x 1,5 mm <sup>2</sup>	U-36PZ3E5		16 A
S-3650PT3E	4 x 1,5 mm <sup>2</sup>	U-50PZ3E5		16 A
S-6071PT3E	4 x 1,5 mm <sup>2</sup>	U-60PZ3E5A		20 A
S-6071PT3E	4 x 1,5 mm <sup>2</sup>	U-71PZ3E5A	20 A	
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E5	35 A	
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-125PZ3E5	40 A	
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-140PZ3E5	40 A	

#### Three phase

Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker**
S-6071PT3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E8	380 / 400 / 415 V	16 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E8		16 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-125PZH3E8		16 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-140PZH3E8		16 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E8		20 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-125PZ3E8		20 A
S-1014PT3E	4 x 2,5 mm <sup>2</sup>	U-140PZ3E8		20 A


### PACi NX adaptive ducted unit kits 1x1

Indoor unit



Single phase  
Power supply  
230 V / 50 Hz / \*

Outdoor unit



Three phase  
Power supply  
3 x 400 V / 1 N - 50 Hz / \*\*

#### Single phase

Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker*
S-3650PF3E	4 x 1,5 mm <sup>2</sup>	U-36PZH3E5	220 / 230 / 240 V	20 A
S-3650PF3E	4 x 1,5 mm <sup>2</sup>	U-50PZH3E5		20 A
S-6071PF3E	4 x 1,5 mm <sup>2</sup>	U-60PZH3E5		25 A
S-6071PF3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E5		25 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E5		35 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-125PZH3E5		40 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-140PZH3E5		40 A
S-3650PF3E	4 x 1,5 mm <sup>2</sup>	U-36PZ3E5		16 A
S-3650PF3E	4 x 1,5 mm <sup>2</sup>	U-50PZ3E5		16 A
S-6071PF3E	4 x 1,5 mm <sup>2</sup>	U-60PZ3E5A		20 A
S-6071PF3E	4 x 1,5 mm <sup>2</sup>	U-71PZ3E5A	20 A	
S-6010PK3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E5	35 A	
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-125PZ3E5	40 A	
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-140PZ3E5	40 A	


#### Three phase

Indoor unit	Connection indoor / outdoor	Outdoor unit	Power supply	Circuit breaker**
S-6071PF3E	4 x 2,5 mm <sup>2</sup>	U-71PZH3E8	380 / 400 / 415 V	16 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-100PZH3E8		16 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-125PZH3E8		16 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-140PZH3E8		16 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-100PZ3E8		20 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-125PZ3E8		20 A
S-1014PF3E	4 x 2,5 mm <sup>2</sup>	U-140PZ3E8		20 A






### Big PACi high static pressure hide-away 20,0-25,0 kW kits 1x1

Indoor unit



Outdoor unit



Single phase  
Power supply  
230 V / 50 Hz / 10 A


Three phase  
Power supply  
3 x 400 V / 1 N - 50 Hz

#### Three phase


Indoor unit	Power supply	Outdoor unit	Power supply	Circuit breaker
S-200PE3E5B	220 / 230 / 240 V	U-200PZH2E8	380 / 400 / 415 V	16 A
S-250PE3E5B		U-250PZH2E8		20 A

### PACi 4 way 60x60 cassette kits 1x1

Indoor unit



Outdoor unit




Single phase  
Power supply  
230 V / 50 Hz / 3 A

Single phase  
Power supply  
230 V / 50 Hz / 16 A

#### Single phase

Indoor unit	Power supply	Outdoor unit	Power supply	Circuit breaker
S-36PY2E5B	220 / 230 / 240 V	U-36PZH3E5	220 / 230 / 240 V	16 A
S-50PY2E5B		U-50PZH3E5		16 A

### PACi NX twin system



#### Single phase


Outdoor unit	Power supply	Circuit breaker*
U-71PZH3E5	220 / 230 / 240 V	25 A
U-100PZH3E5		30 A
U-125PZH3E5		25 A
U-140PZH3E5		35 A
U-100PZ3E5		35 A
U-125PZ3E5		40 A
U-140PZ3E5		40 A

1) Optional infrared remote controller is also possible. Wireless receivers may be required depending on indoor units.

#### Three phase

Outdoor unit	Power supply	Circuit breaker**
U-71PZH3E8	380 / 400 / 415 V	16 A
U-100PZH3E8		16 A
U-125PZH3E8		16 A
U-140PZH3E8		16 A
U-200PZH2E8		20 A
U-250PZH2E8		30 A
U-100PZ3E8		16 A
U-125PZ3E8	20 A	
U-140PZ3E8	20 A	

### PACi NX triple system



#### Single phase


Outdoor unit	Power supply	Circuit breaker*
U-100PZH3E5	220 / 230 / 240 V	35 A
U-125PZH3E5		35 A
U-140PZH3E5		40 A

1) Optional infrared remote controller is also possible. Wireless receivers may be required depending on indoor units.

#### Three phase

Outdoor unit	Power supply	Circuit breaker**
U-100PZH3E8	380 / 400 / 415 V	16 A
U-125PZH3E8		16 A
U-140PZH3E8		16 A

PACi NX double-twin system



Single phase


Outdoor unit	Power supply	Circuit breaker
U-125PZH3E5	220 / 230 / 240 V	35 A

Three phase

Outdoor unit	Power supply	Circuit breaker*
U-125PZH3E8	380 / 400 / 415 V	16 A

1) Optional infrared remote controller is also possible. Wireless receivers may be required depending on indoor units.

Mini ECOi Series



Single phase


Outdoor unit	Power supply	Circuit breaker*
U-4LZ2E5	220 / 230 / 240 V	20 A
U-5LZ2E5		25 A
U-6LZ2E5		30 A
U-4LE2E5		20 A
U-5LE2E5		25 A
U-6LE2E5		30 A

Three phase

Outdoor unit	Power supply	Circuit breaker**
U-4LZ2E8	380 / 400 / 415 V	10 A
U-5LZ2E8		16 A
U-6LZ2E8		16 A
U-8LZ2E8		16 A
U-10LZ2E8		20 A
U-4LE2E8		10 A
U-5LE2E8		16 A
U-6LE2E8		16 A
U-8LE1E8		16 A
U-10LE1E8		20 A

1) Wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.  
 2) 10 A for single indoor connection to S-224ME2E5 / S-280ME2E5, in combination with U-8LE1E8 / U-10LE1E8.

### ECOi EX and ECO G Series



#### ECOi EX Series


2-Pipe			3-Pipe		
Outdoor unit	Power supply	Circuit breaker**	Outdoor unit	Power supply	Circuit breaker**
U-8ME2E8	380 / 400 / 415 V	16 A	U-8MF3E8	380 / 400 / 415 V	16 A
U-10ME2E8		16 A	U-10MF3E8		20 A
U-12ME2E8		20 A	U-12MF3E8		25 A
U-14ME2E8		25 A	U-14MF3E8		40A
U-16ME2E8		30 A	U-16MF3E8		30 A
U-18ME2E8		40A			
U-20ME2E8	40A				

#### ECO G Series

2-Pipe			3-Pipe		
Outdoor unit	Power supply	Circuit breaker*	Outdoor unit	Power supply	Circuit breaker*
U-16GE3E5	220 / 230 / 240 V	16 A	U-16GF3E5	220 / 230 / 240 V	16 A
U-20GE3E5		16 A	U-20GF3E5		16 A
U-25GE3E5		16 A	U-25GF3E5		16 A
U-30GE3E5		16 A			

1) Wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.  
2) 10 A for single indoor connection to S-224ME2E5 / S-280ME2E5.

### Hybrid GHP/EHP



1) Wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.  
2) 10 A for single indoor connection to S-224ME2E5 / S-280ME2E5.